

## XLPE/HDPE Insulated, Twisted Cable ABC

**Standard** : IEC 60502-1, BS EN 60228, BS 6346, NFC 33-209, HD 626S1

**Rated Voltage** : 0.6/1 kV

**Conductor** : Class 2 stranded aluminum as per IEC 60228, BS EN 60228.

**Insulation** : XLPE/HDPE

**Applications** : For outdoor and indoor installations in damp and wet locations. They are normally used for power distribution in urban networks, industrial plants and energy distribution.



Nominal Area No.xmm <sup>2</sup>	Nominal Insulation Thickness		
	mm	mm	mm
3 * 120 + 70 + 25	1.8	1.6	1.5
3 * 120 + 70 + 16	1.8	1.6	1.4
3 * 120 + 70 + 10	1.8	1.6	1.4
3 * 120 + 50 + 25	1.8	1.6	1.5
3 * 120 + 50 + 16	1.8	1.6	1.4
3 * 120 + 50 + 10	1.8	1.6	1.4
3 * 95 + 70 + 25	1.8	1.6	1.5
3 * 95 + 70 + 16	1.8	1.6	1.4
3 * 95 + 70 + 10	1.8	1.6	1.4
3 * 95 + 50 + 25	1.8	1.6	1.5
3 * 95 + 50 + 16	1.8	1.6	1.4
3 * 95 + 50 + 10	1.8	1.6	1.4
3 * 95 + 35 + 25	1.8	1.5	1.5
3 * 95 + 35 + 16	1.8	1.5	1.4
3 * 95 + 35 + 10	1.8	1.5	1.4
3 * 70 + 50 + 25	1.6	1.6	1.5
3 * 70 + 50 + 16	1.6	1.6	1.4
3 * 70 + 50 + 10	1.6	1.6	1.4
3 * 70 + 35 + 25	1.6	1.5	1.5
3 * 70 + 35 + 16	1.6	1.5	1.4
3 * 70 + 35 + 10	1.6	1.5	1.4

## XLPE/HDPE Insulated, Twisted Cable ABC

**Standard** : IEC 60502-1, BS EN 60228, BS 6346, NFC 33-209, HD 626S1

**Rated Voltage** : 0.6/1 kV

**Conductor** : Class 2 stranded aluminum as per IEC 60228, BS EN 60228.

**Insulation** : XLPE/HDPE

**Applications** : For outdoor and indoor installations in damp and wet locations. They are normally used for power distribution in urban networks, industrial plants and energy distribution.



Nominal Area No.xmm <sup>2</sup>	Nominal Insulation Thickness		
	mm	mm	mm
3 * 70 + 25 + 25	1.6	1.5	1.5
3 * 70 + 25 + 16	1.6	1.5	1.4
3 * 70 + 25 + 10	1.6	1.5	1.4
3 * 50 + 35 + 25	1.6	1.5	1.5
3 * 50 + 35 + 16	1.6	1.5	1.4
3 * 50 + 35 + 10	1.6	1.5	1.4
3 * 50 + 25 + 25	1.6	1.5	1.5
3 * 50 + 25 + 16	1.6	1.5	1.4
3 * 50 + 25 + 10	1.6	1.5	1.4
3 * 50 + 16 + 10	1.6	1.4	1.4
3 * 35 + 25 + 16	1.5	1.5	1.4
3 * 35 + 25 + 10	1.5	1.5	1.4
3 * 35 + 16 + 10	1.5	1.4	1.4
3 * 25 + 16 + 10	1.5	1.4	1.4